

Hair dressing trade			
S/N	Items /Descriptions	Specifications	Quantity
1	Items and Descriptions		
2	Chairs	Moving Chair (for styling)	21
3	Wooden chairs (form)	Eucariptus- atleast 2 metres	12
4	Wall mountable Mirror	Normal mirror of 1m*2m	13
5	Wooden Tables	MDF-2m*1m)	12
6	Shelves	MDF/Wood Salon Storage Cabinet Hairdressing Tower Shelf	14
7	Radio	5.1CH SUBWOOFER. POWER INUT 220-240V-50/60HZ 870MA	6
8	Television	(HD Flat screen 32")	6
9	Ventilator	Wall mounted airlite with remote vol 220-240	12
10	Scissors	For women and men hair cutting	50
11	Lave-tete	with cold water and hot water	20
12	Casques	wall support equator 3000	21
13	Kettle	Black + decker	10
14	Cutains for windows	2m	24
15	Cliches za modeles	Big size	12
16	Ibitambaro byo gushyira ku bakiriya(bikomeye)/ Fabric to cover clients during hair	silk fabric cover	60
17	Ibitambaro byo gushyira ku bakiriya/womens	silk fabric cover	20
18	Essuie-mains	cyaguwa cm 98-48cm different colour	100
19	Uniforms z'abakora muri saloon (shvers' uniforms)	T-shirt lacoste cotton	60
20	Gaz stove with it's bottle	(12kg)	10
21	cleaning devices	Dust Remoyal Expert/ High quality Trust worthy	30
22	Lacrettes (moping device)	KIAKA with wooden stick 1m. 40cm	30
23	Bassins	small size	30

24	Dust Bin /Poubelles	Plastic big	20
25	Make up box	Make up box	11
26	Vernish	normal polish(patser,luron) gel (ronki,skywei)	500
27	Vernish ordinary(Neutron(CR) 180ml	Vernish ordinary(Neutron(CR) 180ml	100
28	Black Gel (ampro/prostyl)	Black Gel (ampro/prostyl) eco	10
29	Dryer(akamashini kumutsa verne)	(dryer machine for gel verne)	101
30	(nail cutter)	buffer, cuticle remover,filler	500
31	vernish remover	acetone for gel, disolva for normal	100
32	henna paste (milk mumtaz)	(milki mumtaz. Discover the ancient art of henna body decoration. Net wt 35gm gross wt 50gm	100
33	nail shaper	lime	150
34	Artifial nail	accylic tips, french tips, stick ons, accylic form	100
35	pedicure	machine for pedicure, foot brush(wood) normal brush(plastic), scrub	50
36	pamoja mesh soft touch	Easy breading and darling, new viva, abuja mesh darling,	300
37	salsa kanekolon	Darling color H33	500
38	Dread soft closhette/tangle free	Afro kinky	51
39	plante human hair ndende	Human hair Brazilian yaki weaving, super maya, plante afro baby	100
40	Small hair Dryer	(ceriotti(Super Gek 3000)	10
41	Ibigudi/paquet	catford pin rollers/ small,big extra small	200
42	Tongs/box	bestide combined of six items	10
43	Produits	Miadi moyen 200g,mega growth(regular,super), olive oil, dark&lovely, beautiful beginning,	50
44	Brosses	Color black,brush material,fiber handle material plastic	100
45	Tondeuses	WAHL Super Taper	31
46	Alcool	neutron 5litres)	250

47	Amavuta y'imisatsi (hair food)	(avocado oil vestline 240ml), sulfur, jojob oil,t-tree oil, sesame oil, castol oil, vnyal oil	100
48	Savon liquid (bidon)	shower gel	200
49	After shave	disco 1000ml	100
50	Tige-coton	Hanyan/wood	50
51	Sterilizateur	UV Sterlizer	10
52	powder	(furaha 50g)	50
53	cotton	(roll 500g)	50
54	machine oil (bicycle)	machine oil	50
55	amavuta (dread oil)	dread spray and dread cream	100
56	mousse (shaving foam)	Olive Oil/wrap /set mousse 207mL(7fl.oz)	51
57	Hair sponge	small and big	60
58	combs	small and big	100
59	champo	motion for natural, energy	110
60	apre champo	energy	100
61	Hair dressing threads	(48*4TEX 100% Acrylic)	200
62	Mesh	Easy breading and darling	100
63	Clouring product)	(amora 40vol 12%) ,active X, white tint, subalu, oscar/ different colour	50
64	Hair pin	(box 7065p)	50
65	Spray	olive oil, motion, pink	51
66	Gloves	great glove latex	50

Tailoring Trade

S/N	Items and Descriptions	Specifications	Quantity
66	Equipment/materials		
67	Ordinary sewing machine with dynamo and electrical pedal	Auto set stitch length and width -weight: 11.500kgs -4 step button hole	43

68	Embroidery machine	<p>Specification: -Model Number:20u33 -Max Sewing Speed:5500 rpm/min -Mx Zigzag width 8mm Needles:DP*5,Size 18-25 -220V with quit servor Motor Brand Name: Singer Material:Cast-iron Year:2021 Made in china kawkab industrial big</p>	8
69	Babylock Machine	<p>Weight:21lbs Number of feet included:1 -Lighting:3 lds -Maximum Stitch Width:7.5 mm</p>	7
70	Bordering machine-interna	<p>(surfillage machine butterfly)OVERLOCK SILIFIRAGE Specification: -Model no: WD 737 -Thread number:3 threads</p>	7
71	Button pressing & fixing machine	<p>BUTTON PRESS + INDUMANE ONLY Specification: -Weight:2kg -Size:24cmx 11cm x 11 cm Made in PAKISTAN Brand Name: BUTTON PRESS Material: Cast-iron</p>	6
72	Electric Sewing machine	<p>Janome electric sewing machine ELETRIC SINGLE NEEDLE(JUKI)</p>	15
73	Button Hole machine	<p>Janome, Eyelet buttonhole : 8-42 mm Straight buttonhole : 5-42 mm, Length of work clamp:30mm; length of hammer: 22mm</p>	2

74	Knitting Machine	Knitting Machine automatic punch card machine with a set of 15 chunky cards with 4,5mm pitch; 24 stich pattern repeat. Knitting patterns: stocking stitch, tuck stitch, skipstitch, weaving, fairisle, thread lace, plating yarn knitting etc.. Needle Pitch	2
75	Industrial Zig zag flat sewing machine with Table	Max. Sewing Speed: 800 rpm Presser Foot Lift: 20mm Needle System: 160-250 Stitch Length: 0-10mm	3
76	Wooden back chairs	wood chairs / made of eucalyptus type (medium size)	38
77	Mirrors	Tailor's mirror, approx. 70x40, vinyl or wooden bordered frame	15
78	Pattern cutting table	Hard wood, approx. 210x120cm	15
79	Charcoal iron	Antique charcoal irons	9
80	Electrical iron	Heavy duty electric steam iron, 220-240V/50Hz, approx. 2200W, non-stick soleplate, adjustable thermostat with ceramic coat	9
81	Shelves	Shelves for tailoring-wardrobe mode-opened in front	13
82	Measuring tape	CLASSIC YELLOW SEWING TAILOR 3 METERS MEASURE FABRIC MEASURING TAPE	18
83	Dressmaker's scissors	Classic style, super-sharp drop forged stainless steel blades, large handles, 20cm	18
84	Embroidery scissors	10cm long, stainless steel blades with adjustable tension nut, impact resistant handles	15
85	Needles for sewing machine	Organ needles HAx1	18
86	Threads	Specification: Mixed colors and different sizes; Big,medium,small	28
87	machine oil (bicycle)	(BICYCLE)	26
88	cleaning blooms	cleaning blooms with wooden handle	21
89	moping stick	(KIAKA)with wooden handle	19
90	Bassins	PLASTIC medium size	13

91	Poubelles (dustbins)	(PLASTIC- large with foot pedal)	13
92	Dress hanger	(wall made in timber)	61
93	Cloth hangers	Plastic personalised hanger	111
94	manequine	(dressmaker,silhouette,pressing clothes)	13
95	Pins	Dress maker pins:25g,7/8/0z (box)	12
96	Box of cans	standard size (box)	2
97	Hooks	Size:2,6,7,9,10 (box)	27
98	Iron board	heavy duty 4-Leg Ironing Board with Natural Cotton Cover (pc)	2
99	Tailor's ruler	100cm, wooden measuring lath, metric graduation (pc)	2
100	Embroidery hoops	High quality beech ply wood, with smooth polished radius edges, set of 4 (10, 15, 20, 25cm) (pc)	3
101	Pin cushion	Magnetic (box)	15
102	Needles for sewing machine	Organ needles HAx1 (box)	5
103	Needles for knitting machine	No 16,18 (box)	5
104	Needles for sewing	Long grove on both the front and back as well as a slightly larger scarf and a light ball point, chrome finish Five (5)	5
105	Seam ripper	Plastic cap, a safety ball to protect fabric and made from hardened steel (pc)	25
106	Cloth brush	Wooden handle soft brush coat jacket clothes bits fluff pet animal hair removal (pc)	2
107	Tracing wheel	Used to transfer markings from patterns into fabric with or without tracing paper (pc)	3
108	Button rivets pliers	Button rivets pliers pliers with 300 jeans buttons (pc)	9
109	Zacro Revolving Punch Plier/ Pincer	Zacro Revolving Punch Plier / Pincer Rotary Punch, Heavy Duty Hole, 6 Hole Sizes 2.0 - 4.5mm	2
110	Idealeben Hole Punch Pliers	Idealeben Hole Punch Pliers Leather Belt Heavy Duty Metal Tool, 2.0mm - 4.5mm (pc)	1
111	Tissues/ Black fabric	Black Color, Synthetic type, 27m long (pc)	3
112	Tissues/Fabric for dress	Orchid Color, Synthetic type,80cm large and 50m long (pc)	3

113	Tissues/Fabric for shirt	Gitenge guaranted real WAX (pc)	5
114	Tissues /Fabric for women	Kitenge guaranted real XX Wax (pc)	3
115	Tissues/Fabric decolation	Red color, Ribban,1.5m large x 45m long (roll)	3
116	Poplin Fabric	Coton 100%,108 larger x 30m long (roll)	3
117	Pagne soso	ordinary (pc)	10
118	Sheets for Embroidery and accessories	White color, Cotton type,for single and double beds (pc)	10
119	Knitting threads	standards size (box)	5
120	Elastiques threads	Star brand elastic (box)	5
121	Zip	Size;23x54cm (box)	5
122	Virsorines	Non woven fabric,1x50m size (roll)	3
123	Doubliles	Poplin coton+polyester 36x30Yds (roll)	3
124	Button	Small, medium and big sizes (pc)	5
125	Pattern-paper	1m large (pc)	5
126	Assortment of threads	Small size (box)	5
127	Assortment of threads	Big size (pc)	10
128	Screwdriver (set)	4 Pces, Round, phillips , Slotted	9
129	Razor Blades	3-Hole Razor Blade, Dim: 43 x 22 mm; thickness: 0,20 mm / .008"; quality: Fortis and Packing: Blue safety box	19

Welding trade			
S/N	Equipment and tools	Technical specifications	Quantity
129	AC welding machine Transformer	electdode welding unit eurac 5022: 40-400A, 1.6-6 mm	10
130	welding cables	Electrode holder standard 400A m	120

131	MMA-350 IGBT DC Inverter ARC Welding Machine	Welding machine for manual metal arc welding (MMA) with 140 amp. MMA welding with rutile and basic coated electrodes for all un-and low-and high-alloy steels, nickel and copper alloys. Features: Digital display, Hot Start, Antistick, Hot Start, Lift ignition, Automatic cooling ventilators. For rod electrodes up to 4, 2 mm diamete. Rated voltage AC 230V, 50/60 HZ, Overcurrent protection 16A; IP21, weight 7.2kg; Standard accessories (Electrode holder 5 m, Ground wire 5 m) included; Manual in English and French. Stahlwerk ARC/ MMA/E-HAND 200 or similar. Plus 2 additional sets of spare welding cables (Electrode holder cable and earth cable) and welding cable repair sets (copper clamps, spare electrode holders, earth clamps).	5
132	DC welding machine	Electrode inverter Lilliput 280, welding current range 20 - 280 Amps, electrode dia. 2 - 5 mm, voltage 3 x 400 V, 50 Hz, nominal power 17,5 A, duty cycle 100 % 280 A, no load voltage 61 V, ampere range 20 - 280 A, protection class IP 23, insulation class F, efficiency factor 90 %	5
133	Electrode holder	AWS E60013	14
134	Angle grinder machine (Makita)	Disc grinder,wheel guard, inner support flange,adjusting nut, side handle,flat-bin spanner, abrasive wheel: 230 mm,input power: 2200 W, idle speed: 10.000 1/min, spindle M14 1600 W disc diam. 180 mm MAKITA	12

135	Hand drill machine (Makita)	Drilling machine, quick change chuck, 1,5 - 13 mm, 2-speed, right/left hand, with additional handle, drill depth stop, drilling metres in steel / wood: 13 / 35 mm, input power: 770W, idle speed: 0-1100/0-2700 1/min	12
136	Riveting Machine (Hand press)	Hand press/ Bosch	10
137	Cylinder Welding Oxygen	Oxygen gas cylinder and accessories, 40L, Co2/Argon/Nitrogen/Acetylene	7
138	Gas welding and cutting set	Gas welding set, for acetylene oxygen, welding and brazing, injector system, compl. with handle and welding tips for work piece thickness up to 14 mm; Handle shaft diameter: 15 mm; Welding tips incl. welding nozzles size 1-6 for welding thickness 0.5 - 14 mm and 1 set of spare nozzles; multiflame heating tip incl. Nozzles size 4 and size 6; Single flame heating tip incl. Nozzles size 7; Cutting nozzles for cutting range 3 - 10 mm, cutting range 10 - 25 mm, cutting range 25 - 40 mm, cutting range 40 - 60 mm; Heat nozzle size 3 - 100 mm; Roller guide for cutting torch; Circle cutting attachment for circle Ø 140-800mm, Ball-bearing cutting attachment for circle Ø 20-120mm	7
139	Gas cylinder trolley	Cylinder trolley 2x40 /50 L with 2 rubber tyres	7
140	Bench vice machine (FBV-02)	Punching, Grinding, Slotting, Milling, Drilling, drop forged, with anvil, opening in front, jaw width: 120 mm, opening of jaws: 170 mm, depth of jaws: 100 mm German Industry Quality (PROMAT) or the best Peddinghouse or similar	9
141	Toolkit of welder(shipping hammer, chisel, pliers, taper measure, vernier caliper, wire brush, angle grinder key)	basic welder tool set	7
142	Acetylene regulator	Acetylene pressure regulator 8546 1.5 bar	7

143	Oxygen regulator	Oxygen regulator 854610 bar	7
144	Carbide cylinder	carbide generator 2.5 kg 1000 l/h	7
145	Tip cleaner set (nozzle cleaner)	Nozzle cleaning drills for welding 0.5-12	7
146	Oxy – carbide cutting torch	Cutting insert , short spindle , A	7
147	Set of horses	Twin horses for carbide and oxygen each 6 x 3.5 mm ,10	7
148	Gas cylinder valve key	Gas cylinder valve key/ spanner	7
149	googles	protective googles universal	42
150	set of drill bit	drill bit of HSS	7
151	Adjustable spanner	Adjustable spanner jaw set at 15; 3117 A 300mm	14
152	Clamps	Lead Seal Pliers with Plastic Covering Clamps, Cramps Clips for Clipping Lead Seals, 100mm, 150mm,200mm,300mm, 450mm (pc)	40
153	Anvil	Metal, Cast Steel, Sand Casting, Sand Blast, test hammer caliber (pc)	15
154	Pliers for electrode	Cutting, Crimping, Wire Stripping, Punching (pc)	18
155	Ground cramps	screw-fastening system and rocking contact: specific for fixed high amp work stations (pc)	28
156	Workbench	Double Workbench with beech worktop 40 mm thick, legs U-steel, length 1200 mm, width 800 mm, height 850 mm with drawers on both sides (pc)	2
157	Metallic Brush	Brushware & mops with a wooden handle for rust removal (pc)	20
158	Twist drills (sets)	Twist drill set HSS increasing 0,5 mm,in metal case, size 1,0 - 13.0 mm (set)	12
159	Hard Hat	Adjustable nape strap suspension holds hat securely in place, Nylon crown suspension straps fit comfortably, lightweight and balanced for all-day wear, bright yellow for	55
160	Googles for welding	Protective goggle, face-view,plastic, for grinding etc (pc)	55

161	Fuses (meches)	15 different Ampere values each for 20 pcs, 5 x 20mm/ 0.5 x 2cm/ 0.2" x 0.79"; 250V; 300 pieces glass fast-blow fuse (kit)	12
162	Saw holder	Handsaw holder with plastic, 6 hacksaw blade set cutting (set)	15
163	Mild steel electrode	2.5 ø(J3812) (kg)	35
164	Mild steel electrode	3.2mm dia (kg)	35
165	Aluminium electrode	3.2mm dia (kg)	35
166	Brass, brazing rods	1.5 mm Diameter (kg)	30
167	Brass, brazing rods	3.5 mm Diameter (kg)	30
168	Copper coated mild steel rods	1.5mm Diameter (kg)	30
169	Copper coated mild steel rods	3mm Diameter (kg)	30
170	Cutting Disc	230 mm (pc)	80
171	Grinding discs V04	Pc	80
172	extension cables	50 meters per roll	12
173	cutting disc	Rhodium	30
174	Safety shoes	safety shoes EN ISO 2034553(size 6,7,8,9)	30
175	grinding disc	Rhodium	10
176	electrode	E60013kg	50
177	welding torch	Welding insert size 1,0.5 – 1 mm	10
178	air compressor	aicompressor specification sheets:0-10HP,	5
179	Painting gun	nozzle size:1.4mm, operation pressure:40-60 psi,	7
180	spark light	Spark lighter pistol shaped	25
181	Hanging Weighing scale	Material: Aluminium	10
182	Weighing scale	Available Capacity: 5, 10, 25, 50, 100 kg	5
183	H.S-Profile	Available Accuracy: 20, 50, 100, 200, 500 g	20
184	U-profile	5.8m, and 6m height x6mm thickness minimum	16
185	Iron tube (20x20)	20x20x2mm size, RHS (Long)	20
186	Iron tube (30x30)	30x30x200 size, RHS (Long)	20
187	Iron tube (40x40)	40x40x2mm size, RHS (Long)	20

188	Iron tube (40x60)	40x60x2 mm, size RHS (Long)	16
189	Iron tube (80x80x2mm)	80x80x2mm size, RHS (Long)	15
190	Iron T	25x25mm (Long)	12
191	IronT	40x60mm (Long)	12
192	Iron T	20x20mm (Long)	12
193	Iron T	40x40mm (Long)	12
194	Iron sheet	2mm (Long)	14
195	Iron sheet	3mm (Long)	14
196	Mastic (for metal)	P38 (cup of 4kg)	10
197	Thinner (Jerican)	Jerican of 5 litters (kg)	15
198	Welding boots	Boots (Sandaka/No 7, No 8, No 9, No 10 (Pair)	53
199	Welding carts	MIG Welding Cart Made With Heavy Gauge Steel And Oversized Easy Rolling Wheels (pc)	6
200	Steel ruler	Stainless rigid steel ruler, 1000 x 30 x 1mm (pc)	17
201	Leather Aprons	Welders' apron, split leather, 80 x 90 cm	48
202	Oxycetylene cylinder equipments	Gauge regulators manometers, cables, etc (pc)	2
203	Welding shield	Full face type, PVC, 2mm (pc)	43
204	Chipping hammer	Welding and chipping hammer with 250 g to clean and remove slag from welds. cone-shaped nose with a sharp , flattened point and a dual beveled tail; hanging hook at one end(pc)	6
205	Automatic arc welding helmet	Automatic welding mask, filter dimension: 110 x 90 x 8 mm, view area: 96 x 42 mm, light shade number: 4, dark shade number: 9 - 13, UV/IR- protection: up to DIN 15, time from light to dark: 1 / 10000 s, time from dark to light: 0.1 - 0.9 s adjustable stepless, sensitivity: adjustable stepless, power supply solar cells, operating temperature -5°C – 55°C, weight 495 g (pc)	45
206	Hand file	wooden or plastic handle, half round, second cut, 200mm (pc)	10
207	Tape measure	Pocket measuring tape, 5m, metric gradation, with stop and belt clip (pc)	5
208	Try square	Workshop square 200mm (pc)	15

209	Earmuffs	lightweight ear muff, continuously variable head bar adjustment (pair)	30
210	Red oxyde paint	Paint (kg)	25
211	Petrol/Parafine	Fuel type (liter)	35
212	Hand gloves	Welders' gloves, 5-finger, split leather,long gauntlet (pc)	80
213	Overall	Light and comfortable overall Features folded down hems preventing infiltration by sparks. Conforms to EN11611 and EN11612; Enhanced, simplified design fulfils EN11611 (Class 1, A1) and EN11612 (A1,B1,C1,E2,F1); Advanced Twisted Leg design and ergonomic cut for outstanding freedom of movement; All hems folded down to prevent sparks and welding bi-products getting in; Kneepad pockets designed for the Knee Guard positioning system for superior knee protection; Adjustable cuffs and waist enable climate control; Material: 100% flame retardant cotton, 290 g/m ² ;Sizes: XS-XXXL, M-L Long (pair)	48
214	first aid box	first aid kit 141 pcs	5
215	gloves	working gloves for free sizes (5 fingers for 15cm cuff)	25

Masonry			
S/N	Items and Descriptions	Specifications	Quantity
215	Trowel	OX Trade Brick Trowel Philadelphia Pattern 280mm/11"	4
216	Hammer)	Stanley STHT0-51309 Fibreglass Curved Claw Hammer 450g (16oz) STA051309 ...	4
217	Stone hammer	stone hammer kg 3	4
218	Chisel (bloster)	Chisel with sharpened end (head)	4
219	Jointer	large size Jointer	4
220	Square	Masonry square or equerre-large size	4
221	Line level	aluminium spirit line level	4
222	Plomb bob	standard plomb bomb for masonry	4

223	Measuring tape	50m	4
224	Metal brush	Metal brush for cleaning cement	4
225	Crowbar	Metalic crowbar	4
226	hand saw	Small size for carpentry	4
227	Ladder	6-step climbing ladder (fiberglass)	4
228	Spade	Standard spade	4
229	Pickaxe	Standard Pickaxe	4
230	Machette	Standard Machette	4
231	Hoe	Standard hoe	4
232	Wheel barrow	Metalic with one wheel-standard size	4
233	Tiles cutter	Tiles cutter-small size	4
234	Mallet	Cleman rubber mallet with tent peg remover-standard size	4
235	Hack saws	Hack saws for cutting metals- standard size	4