



NATIONAL UNION OF DISABILITY ORGANISATIONS IN RWANDA

Registered at RGB under No 72/2014 | TIN: 102404301

Physical address: KK 37 Avenue, Kagarama, Kicukiro District

Together We Stand

TERMS OF REFERENCE FOR THE PROCUREMENT OF TOOLKITS FOR YOUTH WITH DISABILITIES UNDER THE WCW ACADEMY IN KIGALI, KIREHE, AND NYAGATARE NYAMASHEKE DISTRICTS)

A. Introduction

NUDOR's vision is a society where People with Disabilities enjoy equal human rights, opportunities and full participation as other citizens. Its mission is to serve as a voice of member organizations to advocate for disability rights, inclusion of all aspects of life and their full and effective engagement in sustainable development programs. Website: <https://www.nudor.org/>

BACKGROUND OF WE CAN WORK PROGRAM

Light for the World with funding from MasterCard Foundation will implement an 8-year project dubbed We Can Work Programme, a regional signature disability program that uses a system and mind-set change approach to impact the lives of at least 1,000,000 young women and men with disabilities and enables them to access dignified and fulfilling work. The program works with umbrella Organizations of Persons with Disabilities including Umbrella of OPDs in Rwanda, National Union of Disability Organizations in Rwanda (NUDOR) and Entrepreneurship Hubs in Rwanda, Kenya, Ethiopia, Uganda, Senegal, Ghana and Nigeria.

Under we can work programme, the targeted participants are young women and men with disabilities who will benefit from We Can Work, mainly fall within the 18-35 years range, they will work with different partners like Enterprise Support Organizations (ESOs), Local government departments, Organizations of persons with disabilities, including organizations of women with disabilities, Young Africa Works country teams, Private sector companies, Civil society organizations, including those working with refugees, Women organizations and associations, Youth organizations and associations, Disability Inclusion nuclei, Media (reporters, radio and TV stations, online platforms), Family members / caregivers of young persons with disabilities and Community leaders (e.g. traditional and religious leaders).

The Government of Rwanda has a strong political will to mainstream disability in all government policy frameworks as it is enshrined in the Rwandan constitution, Vision 2020/50, NST1, sector plans and district development plans. Rwanda is a signatory to the United Nations Convention on the Rights of Persons with Disabilities conversations where article 27 calls for State Parties to recognize the rights of persons with disabilities to work, on an equal basis with others. Article 9 emphasizes the rights of Persons with Disabilities to have full access and fully enjoy and participate in social, economic, cultural, civil and political life, on an equal basis with others. Goal number 8 of the Sustainable Development Goal (SDG) emphasizes that

☎ +250 789 739 477

✉ info@nudor.org

🌐 www.nudor.org

📦 PO Box: 1545 Kicukiro - Kigali

Vision: a society where persons with Disabilities enjoy equal human rights, opportunities, and full participation as other citizens
Mission: to serve as a voice of member organizations to advocate for disability rights, inclusion of all aspects of life, and their full and effective engagement in sustainable development programs



NATIONAL UNION OF DISABILITY ORGANISATIONS IN RWANDA

Registered at RGB under No 72/2014 | TIN: 102404301

Physical address: KK 37 Avenue, Kagarama, Kicukiro District

Together We Stand

Persons with Disabilities should be given the opportunities of full and productive employment and decent work for all women and men, with equal pay for work of equal value.

However, Persons with Disabilities continue to encounter barriers to access productive and decent work. The private sector is the most employer in Rwanda (87.3%), while an estimated 1% of Persons with Disabilities are employed in the private sector. The overall unemployment rate among Persons with Disabilities is high (29.2%) compared to 12.9% of persons without disabilities. Evidence from different analyses and consultations with the representatives of Organizations of Persons with Disabilities and Private Sector respectively, and other stakeholders indicate that Persons with Disabilities encounter challenges and barriers that negatively affect their employment in the private sector. We can work program aiming to address those issues so that young men and women with disabilities access employment through entrepreneurship development skills, work, etc.

It is in this framework that NUDOR is planning to support other 20 graduates in different trades with start-up kits as an opportunity to acquire and apply new skills/knowledge and Businesses which should lead to self-employment and productive income generating activity. By providing Entrepreneurship and Technical Skills training and start-up kits, the beneficiaries and their entire families will have improved prospects for generating income and achieving financial stability, ultimately helping to reduce risk-taking behaviors.

B. Technical Specifications

Please submit your quotation for supply and delivery of the listed items below:

Item No.	Item	Specification	Quantity
SECTION 1: Tailoring, Sewing & Knitting Equipment, Hairdressing, Beauty & Salon Equipment			
1	Sewing machine	Ordinary tailor sewing machine with Dynamo, with hard table and strong legs	3
2	Overlock/Serger sewing machine	Adjustable speed: 1,300 stitches per minute; uses 3 or 4 threads with 1 or 2 needles active	9
3	Knitting machine	Hand Driven Jersey / Cardigan Knitting Machine	3
4	Scissor for tailors – Umukasi	Professional tailor scissors, 9 inch, for cutting fabric, heavy duty; 9 x 3.4 x 0.85 inches	2
5	Needles - Inshinge zidoda	100 pieces per box of assorted home sewing machine needles	2
6	Threads (Box) – Ubudodo	39-colors handmade sewing thread box; material in cotton	2
7	Butterfly sewing machine	modern portable electric/zigzag model :such as the JH5223A, JH5311A, or JH-8190S	4
8	Iron	MPEX Heavyweight Electric Iron Box 1000W Powerful Heating Adjustable Temperature Control	4
9	Big tailoring table	Height: 36 inches to 38 inches (91 to 96 cm) Width (Depth): 36 inches to 48 inches (91 to 122 cm)	3

+250 789 739 477

info@nudor.org

www.nudor.org

PO Box: 1545 Kicukiro – Kigali

Vision: a society where persons with Disabilities enjoy equal human rights, opportunities, and full participation as other citizens
Mission: to serve as a voice of member organizations to advocate for disability rights, inclusion of all aspects of life, and their full and effective engagement in sustainable development programs



NATIONAL UNION OF DISABILITY ORGANISATIONS IN RWANDA

Registered at RGB under No 72/2014 | TIN: 102404301

Physical address: KK 37 Avenue, Kagarama, Kicukiro District

Item No.	Item	Specification	Quantity
		Length: 60 inches to 96 inches (1.5 to 2.4 meters)	
10	Blowout hair dryer	Professional blowout styler with Boar Tech 2 Bristles and Natura Max Activated Charcoal for healthy blowouts at home	2
11	Hair washing basin (Shampoo basin)	Portable shampoo bowl; free movement basin; height adjustable hair washing station; portable salon shampoo basin/sink/hair washing tray	1
12	Helmet/Hood hair dryer (Casque)	Professional hood-type hair dryer suitable for salon use. Electrical heating system with adjustable temperature control. Temperature range of approximately 40–75°C. Timer adjustable up to 60 minutes. Height-adjustable stand, approximately 125–160 cm. Four swivel wheels for easy movement. Durable steel and plastic construction. Rated power approximately 1,050–1,100 W. Compatible with the local electrical supply, with voltage and frequency confirmed by the supplier. Supplied complete with hood, stand and power cable.	8
13	Hair-washing basin (Lave Tete)	Color Style 2 Material Stainless Steel Size 9.84D x 19.7W x 48H in Product Dimensions 9.84"D x 19.7"W x 48"H	5
14	Hair dryer (General Star)	Performance: High-performance 1800W to 2100W motor delivering high-pressure, high-velocity airflow for fast-speed drying. Electrical: Operates on standard international 220V–240V at 50/60Hz frequencies. Design & Comfort: Built with a specialized matte black finish, featuring a counter-weighted handle and secure grip shell to reduce hand fatigue	1
15	Dyson /Air wrap and rollers (Tonxi)	Airwrap Co-anda 2x™ Multi-Styler with Diffuser & Presentation Case, Amber Silk	11
16	Flat iron/Hair straightener	Annly Hair Straightener 1 Inch Flat Iron and Curler 2 in 1 Titanium Ceramic Ionic Dual Voltage Straightener with Heat-Resistant Silicone, for Less Frizz, Shinier & Smoother	6
17	Nail gel machine	UV LED Nail Lamp SUNUV UV LED Nail Polish Dryer Professional Gel Machine for Manicure and Pedicure with Sensor and 4 Timers 48W SUN5Plus Valentine Gift for Girls Women	5
18	Mirror/salon shelf	Mirror Height: Scales from 36–42 inches (91–106 cm) for wall-mounted units up to 70+ inches (178+ cm) for full floor-standing setups. Shelf Mounting Height: Set at 30–32 inches (76–81 cm) from the floor to line up with standard styling chair armrests for quick tool access. Shelf Depth: Maintained at 8–12 inches (20–30 cm) to hold product bottles safely without blocking the stylist's movement. Station Width: Measures 32–36 inches (81–91 cm) wide per individual workspace.	5
19	Beads machine	Speed: Operates at 800 to 1,200 RPM.	1

+250 789 739 477

info@nudor.org

www.nudor.org

PO Box: 1545 Kicukiro – Kigali

Vision: a society where persons with Disabilities enjoy equal human rights, opportunities, and full participation as other citizens
Mission: to serve as a voice of member organizations to advocate for disability rights, inclusion of all aspects of life, and their full and effective engagement in sustainable development programs



NATIONAL UNION OF DISABILITY ORGANISATIONS IN RWANDA

Registered at RGB under No 72/2014 | TIN: 102404301

Physical address: KK 37 Avenue, Kagarama, Kicukiro District

Item No.	Item	Specification	Quantity
		Bead Sizes: Accommodates 4–10 mm round pearls/ABS beads and 1.5–4.0 mm seed/glass beads (minimum 0.7–0.9 mm inner hole). Control & Formats: Computerized system supporting industry standard. DST and .PES files. Power & Pneumatics: Requires 4–6 kgf/cm ² of working air pressure from an external compressor and connects to a 220V single-phase or 380V three-phase power supply.	
SECTION 2: Shoe Making & Leatherworking Equipment, Welding, Metalwork & Technical Equipment			
1	Shoe Making Machine	Industrial Sewing Mending Machine Shoe Repair Machine: Power & Speed: Features a dual-power design (operates via manual hand-crank or can connect to an external motor) reaching speeds up to 500 Stitches Per Minute (SPM) . Stitch & Feed Control: Offers an adjustable 1 mm to 5 mm stitch length paired with a 360-degree universal walking foot to change sewing directions seamlessly without moving the fabric. Build & Capacity: Constructed from a cast iron framework with a anti-corrosion coating, optimized to pierce thick material layers from 1.5 mm to 6.0 mm deep.	1
2	Shoe stitching/leather sewing machine	VLH-205A Shoes Stitching Machine	5
3	Shoe form (Iforoma/Forme)	Flattened Shoe Last Forms (No 35-45)	5
4	Welding machine/Poste a souder	Tension d'alimentation: 50/60Hz-230V; fusible: 16A; champ de reglage MMA: 20-15A; champ de reglage soudure: 20-220A; champ de reglage soudure TIG: 20-150A	1
5	Ponceuse with Welding Pliers - pince	Multipurpose welding pliers; wire cutting; spring-loaded hand tools	1
6	Grinder	Mini Angle Grinder 1200W-115mm-2.05kg	1
7	Drilling machine/Foreuse	Foreuse gsb13re bosch 600w	1
8	Wheelbarrow (Ingorofani)	90cm x 60cm	27
SECTION 3: Agricultural Tools, Irrigation, Crop Production, Farming Inputs & Water Storage, Bicycles & Transport Equipment			
1	Generator Water pump (general)	32 gal./min capacity Weighs only 13 lbs. Garden hose adaptor, suction hose, clamps, and strainer included	22
2	Irrigation tube	standard vinyl and rubber hoses	400Meters
3	Hoe(digging hoe, or jembe)	Material & Hardness: Made from drop-forged, oil-quenched high-carbon or rail steel with a hardness rating of 45 to 52 HRC to prevent chipping and bending. Dimensions: Features a blade measuring 6 to 9 inches (15–23 cm) wide and 5 to 8 inches (12–20 cm) long.	14

+250 789 739 477

info@nudur.org

www.nudur.org

PO Box: 1545 Kicukiro – Kigali

Vision: a society where persons with Disabilities enjoy equal human rights, opportunities, and full participation as other citizens
Mission: to serve as a voice of member organizations to advocate for disability rights, inclusion of all aspects of life, and their full and effective engagement in sustainable development programs



NATIONAL UNION OF DISABILITY ORGANISATIONS IN RWANDA

Registered at RGB under No 72/2014 | TIN: 102404301

Physical address: KK 37 Avenue, Kagarama, Kicukiro District

Item No.	Item	Specification	Quantity
		Thickness Profile: Tapered construction that is thickest at the neck (5–8 mm) to absorb impact shock and thinnest at the cutting edge (1.5–2 mm) for clean slicing. Weight: Weighs between 2.0 to 3.5 lbs (0.9–1.6 kg), using its heavy iron mass to drive into dense ground with less physical effort from the user.	
4	Majagu hoe	Blade Geometry: 3 sharp, heavy-duty structural prongs (tines) uniformly spaced across the tool head. Material Composition: Forged high-carbon steel or hardened rail steel, oil-quenched to withstand repetitive impact against buried rocks without bending or snapping. Head Weight: Typically 1.2 kg to 1.8 kg (2.6 to 4.0 lbs). The mass is concentrated in the thick neck and thick prongs to leverage kinetic force on the downstroke. Working Depth: Up to 60–100 mm (2.4 to 4 inches) deep into tightly packed soil configurations. Width Profile: Usually measures 15 cm to 20 cm (6 to 8 inches) across the spans of the three tines.	14
5	Rateaux	Bow Rakes: Built heavy (3–4 lbs) with forged carbon steel and 14–16 curved tines to break tough soil clods across a 14–16.5 inch head. Leaf/Lawn Rakes: Designed lightweight (1–2.2 lbs) using flexible plastic or spring steel with 22–30 fan-shaped teeth across an 18–24 inch head to clear debris without tearing grass roots. Market Garden Rakes: Engineered wide (24–30 inches) out of lightweight aircraft aluminum or hardened steel, featuring exactly 20 tines spaced 4 cm apart with snap-on tubes for layout row marking. Handles: Ranging between 48 to 65 inches across all hand models, constructed primarily from shock-absorbing ash wood, fiberglass, or lightweight aluminum	14
6	Spade (Igitiyo)	Dimensions: Blade face spans 7.5 to 12 inches wide (19.5 to 30 cm) and 9.5 to 12 inches long (24 to 30.5 cm), with 30 cm being the standard width for agricultural tenders. Material & Chemistry: Forged from High-Carbon or Manganese Steel containing 0.4%–0.5% Carbon and 0.5%–0.8% Manganese for maximum structural strength. Thickness & Hardness: Heat-treated to a Rockwell Hardness of 35 to 48 HRC to resist chipping, with a plate thickness of 1.6 mm to 2.2 mm to prevent bending under heavy leverage. Socket Junction: Features a tapered collar opening (~36 mm front to ~40 mm back) engineered to tightly lock and anchor heavy-duty handles.	7
7	Machete	Features a short, thick, heavy-bellied blade with an upturned point (14–18 inches, 2.5–3.0 mm thick) forged from tougher Grade 1075/65Mn spring steel. It is heavier (650–850 g), harder (50–55 HRC), and built with a thick spine for heavy brush clearing and light wood chopping	7
8	Agricultural sprayer (Ipombo)	Low-Pressure Agricultural Sprayers: Truck-Mounted Sprayer: Designed for massive applications. It features a tank capacity of up to 2,500 gallons and a structural boom length of up to 60 feet. Trailer-Mounted Sprayer: Tailored for medium-sized operations. It holds a tank capacity of 1,000 gallons with an adjustable boom length spanning 12 to 50 feet. Tractor-Mounted Sprayer: The smallest of the low-pressure mechanical tier, built with a restricted tank volume of 150 to 500 gallons.	39

+250 789 739 477

info@nudur.org

www.nudur.org

PO Box: 1545 Kicukiro – Kigali

Vision: a society where persons with Disabilities enjoy equal human rights, opportunities, and full participation as other citizens
Mission: to serve as a voice of member organizations to advocate for disability rights, inclusion of all aspects of life, and their full and effective engagement in sustainable development programs



NATIONAL UNION OF DISABILITY ORGANISATIONS IN RWANDA

Registered at RGB under No 72/2014 | TIN: 102404301

Physical address: KK 37 Avenue, Kagarama, Kicukiro District

Item No.	Item	Specification	Quantity
9	Protective gloves	pair/set	19
10	DUDU	Unit/packaging indicated as liters in source	4
11	Detone	Unit/packaging indicated as kilograms in source	12
12	Lodomile	Unit/packaging indicated as kilograms in source	4
13	Easy grow	Kilograms; appears twice in source and consolidated here	8
14	Maisha	Kilograms; appears twice in source and consolidated here	4
15	Arrosoir	10-Liter Configuration: Measures exactly 50 x 17 x 36 cm.	6
17	Royal Tomato Plastic Crates Amakurete (Y'Inyanya)	Product: A rectangular, purple plastic crate designed for holding tomatoes. Price: It costs ₹ 85 per piece, excluding taxes. Supplier: Manufactured by Royal Plastics in Dera Bassi, Punjab, and currently in stock.	8
18	Roketi	liters	3
19	Tarpaulin (Shitting)	Size & Weight: A 6m x 10m (60 m ²) blue sheet weighing 6.73 kg. Material: Made of 110 GSM Polyethylene (PE). Protection: Fully 100% waterproof with UV protection.	10
20	Umurama (Longland 50 grams)	Longland seed, 50 grams	50
21	Water tank	10,000 L water tank	4
22	Small water tank	260 Liter storage drum	6
23	Indobo/ Ikiduke	50 L	2
24	Large basin/ Ibase nini	Plastic basin with 75L	2
25	Small basins/Utubase duto	Plastic basin with 8L	4
26	Bicycle (Igare ry'Ubwikorezi)	Technical specifications: non-motorized heavy-duty cargo bicycle designed for the transportation of goods. The bicycle shall have a strong, reinforced frame; a minimum goods-carrying capacity of 50 kg, excluding the rider; a securely mounted heavy-duty rear carrier or cargo platform; reliable front and rear brakes; durable, puncture-resistant tyres; strong wheels and spokes; an adjustable saddle; front and rear mudguards; a bell; reflectors; lights; and a sturdy kickstand. The bicycle shall be suitable for regular use on paved and unpaved roads and shall be supplied with all necessary accessories, a basic tool kit, and a minimum 12-month warranty against manufacturing defects.	9
SECTION 4: Poultry & Livestock Equipment, Feed & Veterinary Supplies, Agro-processing, Food Processing & Soap-Making Equipment			
1	Mangecoire (Feeder)	Plastic poultry feeder wire grill	115

+250 789 739 477

info@nudur.org

www.nudur.org

PO Box: 1545 Kicukiro - Kigali

Vision: a society where persons with Disabilities enjoy equal human rights, opportunities, and full participation as other citizens
Mission: to serve as a voice of member organizations to advocate for disability rights, inclusion of all aspects of life, and their full and effective engagement in sustainable development programs



NATIONAL UNION OF DISABILITY ORGANISATIONS IN RWANDA

Registered at RGB under No 72/2014 | TIN: 102404301

Physical address: KK 37 Avenue, Kagarama, Kicukiro District

Item No.	Item	Specification	Quantity
2	Livestock/Poultry drinker	3 Litre Poultry Drinker Water Fount	163
3	Pig feeder	ToolMan Pig feeder	8
4	Plastic trough	2.4m Trough Only	1
5	Nipple drinker	Nipple Drinkers for Broilers	8
6	Disinfection footbath	Heavy-duty Natural Rubber , REACH-compliant Polyvinyl Chloride (PVC) , or Stainless Steel	8
7	Feeding bucket	7L High-Grade Stainless Steel (Edelstahl) or Galvanized Zinc-Coated Steel (Zink)	8
8	Ear tagging tool	Model: YL1207 / YL 1207, Dimensions: 25 cm x 15 cm x 2.4 cm	8
9	Egg cabinet	8 egg crates per pack, 30 eggs per tray (Total package holds 240 eggs), 29.3 cm x 29.3 cm x 5 cm (11.42"L x 11.42"W x 1.97"H)	24
10	Poultry lamp	Power & Capacity: A 250W infrared bulb capable of heating up to 100 chicks. Use Case: Designed for the general brooding and warming of young chicks. Price & Stock: Costs R 120.00 and is currently in stock .	42
11	Utuyunguruzo (Wire mesh for chicken coops)	Wire mesh for chicken coops	11
12	Bote No 42	Housing accessory; size No. 42	1
13	Emprolium 20%	Veterinary medicine; Emprolium 20%	20
14	Limoxin	Veterinary medicine	19
15	Lactomass	Veterinary medicine	18
16	Inkokokazi/Hen	Sassu Chicken - hen with 20 weeks	240
17	Isake/Roosters	Sassou Chicken - rooster with 20 weeks	150
19	Imishwi/Chicks for One Day	One-day-old chicks	150
20	Imishwi/Chicks for 45 Days	45-day-old chicks	60
21	Grower feed	Poultry grower feed	2150
22	Starter feed	Poultry starter feed	50
23	Eggs	Fresh Farm Chicken Table Eggs	12
24	Groundnut/Soya processing machine	Capacity & Output: Processes up to 50 kg/h of roasted nuts (peanuts, cocoa beans, cashews) into smooth paste or butter. Material: Built entirely with premium, food-safe 304 Stainless Steel. Best Use: Ideal for small-to-medium businesses converting raw nuts and seeds into high-value oils and spreads.	1

+250 789 739 477

info@nudur.org

www.nudur.org

PO Box: 1545 Kicukiro - Kigali

Vision: a society where persons with Disabilities enjoy equal human rights, opportunities, and full participation as other citizens
Mission: to serve as a voice of member organizations to advocate for disability rights, inclusion of all aspects of life, and their full and effective engagement in sustainable development programs



NATIONAL UNION OF DISABILITY ORGANISATIONS IN RWANDA

Registered at RGB under No 72/2014 | TIN: 102404301

Physical address: KK 37 Avenue, Kagarama, Kicukiro District

Item No.	Item	Specification	Quantity
25	Cassava-leaf grinding machine	Capacity & Power: Processes an impressive 600 to 800 kg/h using a 2.25 kW motor. Build & Materials: Features a 304 stainless steel body equipped with ultra-sharp 420 stainless steel blades. Best Use: Designed to grind heavy batches of fresh cassava leaves, potato leaves, ginger, garlic, and other vegetables into paste.	1
26	Liquid soap mixer	Capacity Options: Available in 100L (ZT-100), 200L (ZT-200), and 500L (ZT-500) models to fit different production scales. Power & Speed: Features motor scaling from 1.5 kW to 4.0 kW with a consistent, controlled stirring speed range of 0–63 RPM. Build Setup: All standard versions focus on low-speed blending and do not include a built-in homogenizer motor.	2
27	Solid soap maker	Size & Weight: The most compact unit in the line, measuring 775 × 820 × 650 mm and weighing 600 kg. Performance: Refines soap paste down to a micro-fineness of 3 to 18 µm with an output of 100 to 200 kg/h. Power & Build: Runs on a 3.0 kW motor and utilizes durable, high-strength alloy rollers.	2
28	Manual mixer machine	Design: A barrel or drum fitted with an internal paddle system connected to a large hand crank wheel. Capacity: Typically ranges from 50 kg to 150 kg per batch. Best Use: Blending poultry feed, mixing fertilizers, or coating seeds with protective chemicals before planting.	1
SECTION 5: Construction & Poultry-House Materials, Furniture, Shop Fittings & Business Equipment, Weighing & Measurement Equipment			
1	Roofing/Iron sheet	Design & Material: A traditional corrugated design made from high-quality steel with a rust-resistant galvanized coating. Best Use: Budget-friendly choice for roofing and wall cladding on residential or warehouse builds	65
2	Wooden door	Simple 110cm	8
3	Wooden window	60cm-45cm	7
4	Door hinges & locks(AL-S125 Industrial Door Hinge Buckle)	Size & Type: A 10.5 x 2.8 cm, heavy-duty 180° security hinge lock. Build & Material: Made from Stainless Steel 304 with a protective powder coating finish. Best Use: Designed specifically for industrial electrical cabinets, distribution boxes, and heavy machine doors. Wholesale Price: Ranges from US\$0.85 to US\$1.40 per piece, depending on the volume (with a 5,000-piece minimum order).	18
5	Cement	Construction material 42	14
7	Ibiti	Main supporting poles 15 × 15 cm (6 × 6 inches) Smaller supporting poles 10 × 10 cm (4 × 4 inches), where structurally suitable	78

+250 789 739 477

info@nudur.org

www.nudur.org

PO Box: 1545 Kicukiro – Kigali

Vision: a society where persons with Disabilities enjoy equal human rights, opportunities, and full participation as other citizens
Mission: to serve as a voice of member organizations to advocate for disability rights, inclusion of all aspects of life, and their full and effective engagement in sustainable development programs



NATIONAL UNION OF DISABILITY ORGANISATIONS IN RWANDA

Registered at RGB under No 72/2014 | TIN: 102404301

Physical address: KK 37 Avenue, Kagarama, Kicukiro District

Item No.	Item	Specification	Quantity
8	Imisumari y'amabati	Kilogram	7
9	Urugi ruriho akayunguruzo	Door with mesh with 90 cm × 210 cm main entrance door	10
10	Amadirishya ariho utuyunguruzo	90 cm x 60 cm.	6
11	Metal door /Urugi Metalike	90 cm × 210 cm main entrance door for convenient access during feeding	1
12	Isaso / Ibarizo	1 Sack with 100kgs	300 (Sacks)
13	Shop counter (Kontwari) wooden	Size Dimensions: Standard heights range between 90 cm and 110 cm depending on cashier posture, paired with a standard functional depth of 50 cm to 60 cm. Security Built: Integrates at least one or two lockable drawers designed specifically for secure cash handling and daily receipt storage. Material Selection: Built using high-pressure laminate or scratch-resistant melamine to withstand constant, heavy product friction across the top surface.	45
14	Shelving unit/Rack/Etageri	Hybrid Build: Combines high-purity metal framing and wood to give maximum strength and prevent structural deformation or sagging under heavy loads. Rust Protection: Features a high-durability, anti-corrosion powder-coated finish on the metal components to withstand damp or humid environments. Modular Assembly: Designed with a hook-bracket system that makes it easy to assemble, dismantle, or quickly adjust the spacing between individual shelves. Versatile Design: Specifically optimized to meet heavy display demands across diverse commercial departmental stores, showrooms, and retail shops.	53
15	Table	L=140cm R=75cm length= 75	61
16	Chair	Measures 41.5 × 56.5 × 93 cm with a comfortable 47 cm seat height. ish: Crafted from high-quality, FSC-certified solid beech wood with a protective ish. as a sturdy, high-back indoor dining chair optimized specifically for high-traffic nts, and cafes.	87
17	Display cabinet	Design & Layout: Features 3 open tempered glass shelves for high-visibility product display, backed by a solid MDF wood framework. Security & Storage: Built with a lockable lower wooden cabinet to safely store backup stock and valuable electronics accessories. Mobility: Equipped with 4 heavy-duty under-counter caster wheels with built-in brakes for easy relocation across the shop floor.	6
18	Closet	Size & Design: A large, wide open-structure closet measuring 258 cm Width × 180 cm Height × 45 cm Depth, finished in a stylish brown wood and black color scheme. Storage Layout: Built with four distinct storage modules containing 2 metal hanging rods, 4 drawers, and multiple open shelves. Material Quality: Crafted from engineered wood protected by a 7-layer ecological paint finish that resists scratches, wear, and moisture.	1

+250 789 739 477

info@nudur.org

www.nudur.org

PO Box: 1545 Kicukiro – Kigali

Vision: a society where persons with Disabilities enjoy equal human rights, opportunities, and full participation as other citizens
Mission: to serve as a voice of member organizations to advocate for disability rights, inclusion of all aspects of life, and their full and effective engagement in sustainable development programs



NATIONAL UNION OF DISABILITY ORGANISATIONS IN RWANDA

Registered at RGB under No 72/2014 | TIN: 102404301

Physical address: KK 37 Avenue, Kagarama, Kicukiro District

Item No.	Item	Specification	Quantity
19	Small MTN/business cabinet	Size & Style: A compact 72.5 × 75 × 47.5 cm foldable outdoor promotion counter finished in signature MTN yellow. Build Material: Crafted from high-durability sheet metal designed to withstand harsh outdoor weather conditions like sun and rain. Best Use: Highly portable and ideal for mobile field operations like street promotions, event kiosks, and MTN Mobile Money (MoMo) agent stations	2
20	Pallet	Standard Sizes: The European standard (Euro pallet) measures 1,200 mm Length × 800 mm Width, which is optimized for industrial racking compatibility and stacking pre-boxed goods. Material Types: Wood dominates the market, plastic offers a lighter and easy-to-clean alternative, while steel metal provides maximum durability for heavy sectors like automotive. Logistics Goal: Products should be grouped into the largest load units possible on stable stacks to minimize handling movements and ensure safety during transport.	4
21	Weighing scale	Maximum Capacity: 100 kg (220 lbs). Graduation / Increments: Typically calibrated in 500-gram increments. Measurement Units: Dual-marked dial face displaying both Kilograms (kg) and Pounds (lbs).	90
SECTION 6: ICT, Printing & Communication Equipment, Electrical, Solar & Energy Equipment			
1	Printer (Epson)	Function: Print only; Print Technology: HP Thermal Inkjet; Display: 2.0-inch Hi-Res Monochrome Graphic Display; Processor Speed: 525 MHz; Memory: 128 MB DDR3	3
2	Computer Laptop	HP EliteBook Core i7, 1 TB SSD, 14 inches	1
3	Calculator	Display & Power: Features a 2-line LCD screen that shows both your formula and the answer at the same time, running on reliable dual solar and battery power. Core Functions: Handles over 300 math and science functions, including fraction-to-decimal conversions, 1 or 2-variable statistics, and multi-character expression editing. Exam Approved: Built with a durable slide-on hard case and officially approved for use on SAT, ACT, AP, and PSAT exams.	5
4	Smartphone/Telephone	infinix smart 8	12
5	Solar energy/lighting system	A standard home setup in Rwanda uses a 5 kWh system composed of 20 panels (250W each), generating around 6,500 watts annually to power an average house.	10
6	Electric cable	Sunmech Electric Cable Lineup: Sizes & Core: Available in 1.5 mm ² , 2.5 mm ² , and 4 mm ² options, featuring pure copper cores with durable PE/PVC insulation. Design Formats: Offered in flat or round profiles including rigid single-core (BV), round sheathed (BVV), and flat sheathed (BVVB) styles for home wiring. Wholesale Terms: Certified to ISO/CE standards, packed in 100m to 305m rolls, with a wholesale factory Minimum Order Quantity (MOQ) of 30 km	100 Meters

+250 789 739 477

info@nudur.org

www.nudur.org

PO Box: 1545 Kicukiro – Kigali

Vision: a society where persons with Disabilities enjoy equal human rights, opportunities, and full participation as other citizens
Mission: to serve as a voice of member organizations to advocate for disability rights, inclusion of all aspects of life, and their full and effective engagement in sustainable development programs



NATIONAL UNION OF DISABILITY ORGANISATIONS IN RWANDA

Registered at RGB under No 72/2014 | TIN: 102404301

Physical address: KK 37 Avenue, Kagarama, Kicukiro District

Item No.	Item	Specification	Quantity
7	Electric lamp	pc	20
8	Gas cylinder	6 kg	5
SECTION 7: Kitchen, Catering & Household Equipment			
1	Saucepan/Cooking pot	Cupindy Cooking Pans Materials Guide: High-Heat Metals: Stainless steel is the durable, non-reactive kitchen workhorse for everyday cooking, while cast iron and carbon steel provide maximum heat retention and develop a natural, chemical-free nonstick seasoning over time. Coated Surfaces: Traditional non-stick and ceramic pans offer easy food release but must be restricted to low-to-medium heat; they degrade quickly if overheated, preheated empty, or cleaned with abrasive tools. Smart Setup: Instead of buying massive matching sets, the guide recommends a versatile mix: a stainless steel skillet and saucepan for general tasks, a cast iron skillet for high-heat searing, and a small coated pan used strictly for delicate foods like eggs.	30
2	Vacuum thermos	Build & Insulation: Made from strong, rust-proof stainless steel with double-wall vacuum insulation to keep drinks hot or cold for hours. Portability & Extras: Designed with a fully leak-proof lid and a carry strap/belt, available on Murukali in dark green, dark blue, or silver	15
3	Plastic tray	□ Product: Plastic tray	4
4	Bucket (general)	Size & Capacity: Holds 2 Gallons (approximately 7.57 Liters) of liquid, making it lightweight and easy to carry. Build & Material: Made from durable, high-density plastic in Lowe's signature cobalt blue color. Handle & Use: Features a sturdy metal wire handle with a plastic comfort grip, ideal for household cleaning, gardening, or washing cars.	4
SECTION 8: Branding, Shelter & Business Visibility Materials			
1	Sacks/Bags	Materials & Build: Lightweight yet highly durable polypropylene (PP) sacks available in both laminated and non-laminated options to provide superior tear and moisture resistance. Wholesale Unit: Distributed in bulk bundles containing 1,000 pieces per pack (1*1000pcs pack configuration). Best Use: An economical, heavy-duty solution optimized for safely storing and transporting raw agricultural commodities, dry grains, and broad FMCG cargo.	10
2	Business/MTN umbrella	Size & Materials: A large 30-inch straight umbrella built with a 190T polyester canopy and a rigid steel frame/pole. Protection & Operation: Features Anti-UV sun protection and a wind-resistant steel rib framework operated by a manual open and close system.	9
3	MTN Visibility Vest/Uniform	Dual Upper Breast Pockets: Perfectly sized to hold multiple point-of-sale (POS) smartphones used to execute customer Cash-In and Cash-Out transfers. Integrated Pen/Styli Holders: Built adjacent to the chest pocket for easy access to log daily user ledger sheets. Lower Deep Cargo Pockets: Large, open-access hip pockets designed for storing printed transaction books, receipt papers, and raw SIM card inventory packets.	9

+250 789 739 477

info@nudor.org

www.nudor.org

PO Box: 1545 Kicukiro - Kigali

Vision: a society where persons with Disabilities enjoy equal human rights, opportunities, and full participation as other citizens
Mission: to serve as a voice of member organizations to advocate for disability rights, inclusion of all aspects of life, and their full and effective engagement in sustainable development programs



NATIONAL UNION OF DISABILITY ORGANISATIONS IN RWANDA

Registered at RGB under No 72/2014 | TIN: 102404301

Physical address: KK 37 Avenue, Kagarama, Kicukiro District

Item No.	Item	Specification	Quantity
		Clear PVC Badge Sleeve: Positioned on the left chest to sSECTION in local government or official corporate agent identification cards	

C. Required documents:

(1) Bid Submission Letter; (2) Name of the company, phone number, Email address, physical address on the cover page; (3) Original or a copy of the two clearance certificates from RRA; (4) RDB certificate; (5) VAT Certificate; (6) RSSB Clearance; (7) Proof of ownership of EBM machine

D. Evaluation Criteria

The bid will be evaluated based on the following criteria:

Cost-effectiveness of the bid; Delivery timeframe; Warranty and after-sales service provisions. (6 months minimum)

E. Submission Deadlines

The Bids must be submitted in hard copies by 13/11/2026 at 10:00am and The open tender is set at 11Am to National Union of Disability Organizations in Rwanda (NUDOR) Office (HQ): KK21St ; KAGARAMA Sector KICUKIRO District; P.O Box: 1546 Kigali- RWANDA

NB:

- The bidder should demonstrate his/her commitment to supply the above-mentioned items within 7 days from the signature of the contract.
- Payment shall be made upon successful delivery and handover of the products to NUDOR
- The bidder should also indicate the proposed fees for each item (inclusive taxes).

For any question for clarification, please contact Mrs. MUSHIMIYIMANA Neema on her phone number: +250 785485038.

Done at Kigali, 26th of October 2026

NSENGIYUMVA Jean Damascene
Executive Secretary

